

UGREEN

PRODUCT CATALOGUE

Computer & A/V Peripheral For Wholesale
And Value-added Business



+86-755-28066530 www.ugreen.com

Ugreen Building, Longcheng Industrial Park,
Longguanxi Road, Longhua, Shenzhen, China

CORPORATE PROFILE

At UGREEN, we believe there's an optimal combination of value and innovation. Since our foundation in 2012, we've been dedicated to building consumer electronic devices and accessories with leading technological innovations, and making them accessible to our everyday consumers. The user-centered philosophy runs in our blood and through our R&D, design, manufacturing, sales, and marketing, as well as customer service.

UGREEN has steadily grown into a brand trusted by over 40 million users in more than 100 countries around the world. Our award-winning product portfolio ranges from charging devices, mobile-phone and computer accessories, to home and automobile accessories. With an extensive channel network both online and offline, UGREEN is committed to providing maximum value backed by high-quality products and premium service to our customers.

CORPORATE CULTURE

Mission:

To provide great value to users, to increase employee happiness, and to make a difference to the society.

Vision:

To become a global brand of value and humanity.

Values:

To be user-centered, sincere, and dedicated to innovative technology.


Business Philosophy:

To establish an organization with great efficiency and vitality through continuous optimization, to strive for and create opportunities to provide users with valuable products and services.




UGREEN 绿联

STRATEGIC MILESTONES



HONORS AND AWARDS



IF Design Award



Red Dot Design Award



Contemporary Good Design Award



Red Star Design Award



APTQ Certificate



BQB Certificate



Qualcomm Quick Charge Certificate



Qi Certificate



TELEC Certificate



USPTO Certificate



CNIPA Patent Of Utility Models



CNIPA Patent Of Invention



EUIPO Certificate Of Registration



CE Certificate



FCC Certificate



ROHS Certificate




PSE Certificate



SRRC Certificate

PRODUCT INNOVATION


UGREEN's design philosophy always focuses on the needs of the customers. We built an efficient customer feedback system. Our media and online communities have allowed us to act on our customers' ideas to create more valuable products. We value simplicity and accessibility in our designs. Our products are minimalist and simple to operate in order to ensure that our customers can easily use them in their daily lives. Our products work for personal computers and mobile phones. We have put an emphasis on developing more phone accessories that feature fast charging, data transference, and the ability to simplify your life.



WORKSHOP OVERVIEW



GLOBAL SALES NETWORKS



MARKET COVERAGE




100+
Countries

North America	USA, Canada, Mexico
South America	Brazil, Chile, Peru
Europe	Germany, UK, Poland, Russia, Portugal
Middle East	Saudi Arabia, UAE, Kuwait, Turkey
Africa	South Africa, Egypt
East Asia	China, Japan, South Korea
Southeast Asia	Vietnam, Thailand, Malaysia, Indonesia
South Asia	India, Bangladesh

Key markets by country include but are not limited to the list above

TABLE OF CONTENTS




Computer Peripheral

	USB Cable	02-04
	USB Adapter & Switch & Converter	05-07
	Data Storage	08

Networking Peripheral

	Networking Peripheral	10-14
---	-----------------------	-------

Video Peripheral

	HDMI Peripheral	16-19
	VGA & DVI Peripheral	20-21
	DP & Mini DP Peripheral	22

Audio Peripheral

	Audio Cable & Converter	24-28
---	-------------------------	-------

Industrial Communication Peripheral

	Industrial Communication Peripheral	30
--	-------------------------------------	----



Computer Peripheral

- USB Cable
- USB Adapter & Switch & Converter
- Data Storage



Thunderbolt 4 Cable

PID: US501



8K/60Hz




PD 100W



40Gbps

Multi-Screen Expansion Multi-Screen Sharing





USB Cable


USB 3.0 A/M to A/M Cable

PID: US128



USB 3.0 to USB 3.0 Extension Cable

PID: US175




USB 2.0 Data Link Cable

PID: US166



USB-C 3.1 Extension Cable

PID: US353




USB 3.0 A/M to USB 3.0 Micro-B/M Cable

PID: US130




USB 3.0 A/M to B/M Data Cable

PID: US210



USB 4 Male to Male Cable

PID: US507



Micro USB 3.0 to USB-C 3.1 Cable

PID: US312




USB 2.0 A/M to Mini USB 5Pin Male Cable

PID: US132



Mini USB 5Pin Male to USB 2.0 Female OTG Cable

PID: US249




USB-C 2.0 Male to Mini USB 5Pin Male Cable

PID: US242




USB-C 2.0 to USB-B 2.0 Printer Cable

PID: US241



USB 2.0 A/M to USB 2.0 A/F Cable

PID: US121



USB 2.0 A/M to B/M Active Printer Cable

PID: US122




USB-C Female to USB-B Male Adapter

PID: US382



USB 2.0 A to USB-C Data Link Cable


PID: US318






USB-A External Stereo Sound Adapter

PID: US206




USB 3.0 to HDMI & VGA Converter

PID: CM449



USB-C to HDMI+VGA Converter

PID: CM162



USB 2.0 2x1 Switch

PID: US158




USB 2.0 4x1 Switch

PID: US158



USB 2.0 2x3 Switch

PID: CM409



USB 3.0 All-in-One Card Reader

PID: CR125



Micro USB 2.0 to 100Mbps Ethernet Adapter

PID: CR110



- ✓ Allows you to connect and share 4 external USB devices at ease
- ✓ No more plugging and unplugging sufferings



USB 3.0 A to Gigabit Ethernet Adapter

PID: CR111






-  Gigabit Ethernet
-  USB 3.0
-  LED Light

USB-C 3.1 Gen 1 to 2.5G Ethernet Adapter

PID: CM275






-  Driver-Free
-  2.5G Ethernet
-  USB-C 3.1

USB 3.0 2.5" SATA Hard Drive Enclosure

PID: US221






-  Short Circuit Protection
-  5Gbps
-  6TB

USB 3.0 to 3.5"/2.5" SATA Hard Drive Enclosure

PID: US222



-  16TB
-  S.M.A.R.T
-  5Gbps

USB-C to HDMI Cable

PID: MM121



-  4K@60Hz
-  Plug & Play
-  Mirror & Extended Mode

USB-C Male to HDMI Female Adapter

PID: 40273






-  4K@30Hz
-  Plug & Play
-  Mirror & Extended Mode

USB-C 3.1 2.5" SATA Adapter

PID: CM321






-  Short Circuit Protection
-  6Gbps
-  6TB

USB 3.0 to 3.5"/2.5" SATA Adapter

PID: CR108



-  Plug & Play
-  5Gbps
-  12TB

USB-C to DP Cable

PID: MM139



-  8K@60Hz
-  Plug & Play
-  Mirror & Extended Mode

USB-C Male to DP Female Adapter

PID: MM130






-  4K@60Hz
-  Plug & Play
-  Mirror & Extended Mode

SATA 3.0 Straight to Right-Angle Cable

PID: CM321



-  Plug & Play
-  6Gbps
-  2.5" & 3.5"

USB 3.0 to SATA Docking Station

PID: CM198



-  A to B
-  S.M.A.R.T
-  6Gbps

USB-C Male to Mini DP Female Adapter

PID: CM236






-  4K@60Hz
-  Plug & Play
-  Mirror & Extended Mode

USB-C Video Capture Device

PID: CM410



-  Full HD
-  Live-Stream
-  Low Latency

USB 3.1 2-Bay 2.5" RAID Hard Drive Enclosure

PID: CM381



-  4 RAID Modes
-  S.M.A.R.T
-  6Gbps

USB 3.1 To 3.5"/2.5" Dual Bay RAID Hard Drive Enclosure

PID: CM249



-  4 RAID Modes
-  S.M.A.R.T
-  5Gbps



Cat 5e UTP Pure Copper Ethernet Cable



PID: NW108

Executive Standard: YD/1019-2013, ISO/IEC 11801, EIA/TIA 568C.2, Capable of passing the Fluke test
Transfer Rate: 100Mbps

Specification

- Conductor:** Adopts 24AWG and single-stranded 0.5 (± 0.01)mm pure-copper core
- Insulation:** High density PE sheath features excellent extensivity and tear-resistance
- Twisted:** Every 2 wire-cores are twisted together to reduce signal interference
- Structure:** Consists of 4 pairs of shielded twisted pairs
- Sheath:** Adopts tear and wear resistant PVC material
- Wire Mark:** The wire is marked by meter for convenient cutting and wiring

Cat 6 UTP Pure Copper Ethernet Cable



PID: NW109

Executive Standard: YD/1019-2013, ISO/IEC 11801, EIA/TIA 568C.2, Capable of passing the Fluke test
Transfer Rate: 1000Mbps

Specification

- Conductor:** Adopts 23AWG and single-stranded 0.57 (± 0.02)mm pure-copper core
- Insulation:** High density PE sheath features excellent extensivity and tear-resistance
- Twisted:** 4 pairs of 8-core twisted pairs are twisted together to reduce signal interference
- Structure:** Consists of cross-skeleton structure and 4 pairs of shielded twisted pairs
- Sheath:** Adopts tear and wear resistant PVC material
- Wire Mark:** The wire is marked by meter for convenient cutting and wiring
- Usage:** Supports PoE Charging.

Cat 6 SF/UTP Pure Copper Ethernet Cable



PID: NW124

Executive Standard: YD/1019-2013, ISO/IEC 11801, EIA/TIA 568C.2, Capable of passing the Fluke test
Transfer Rate: 1000Mbps

Specification

- Conductor:** 0.58mm/0.02 ft diameter features low resistance and stable transmission
- Insulation:** High density PE sheath features excellent extensivity and tear-resistance
- Twisted:** 4 pairs of 8-core twisted pairs are twisted together to reduce signal interference
- Structure:** Consists of cross-skeleton structure and 4 pairs of shielded twisted pairs
- Sheath:** Adopts tear and wear resistant PVC material
- Wire Mark:** The wire is marked by meter for convenient cutting and wiring
- Usage:** Supports PoE Charging.

Cat 7 S/FTP Pure Copper Ethernet Cable



PID: NW125

Executive Standard: YD/1019-2013, ISO/IEC 11801, EIA/TIA 568C.2, Capable of passing the Fluke test
Transfer Rate: 10Gbps

Specification

- Conductor:** Adopts 23AWG and 0.58 (±0.008)mm pure-copper core
- Insulation:** High density PE sheath features excellent extensivity and tear-resistance
- Twisted:** 4 pairs of 8-core twisted pairs are twisted together to reduce signal interference
- Structure:** Consists of cross-skeleton structure and 4 pairs of shielded twisted pairs
- Sheath:** Adopts tear and wear resistant PVC material
- Wire Mark:** The wire is marked by meter for convenient cutting and wiring
- Usage:** Supports PoE Charging.

Cat 8 S/FTP Pure Copper Ethernet Cable



PID: NW151

Executive Standard: YD/1019-2013, ISO/IEC 11801, EIA/TIA 568C.2, Capable of passing the Fluke test
Transfer Rate: 40Gbps

Specification

- Conductor:** Adopts 22AWG and 0.62 (±0.008)mm pure-copper core
- Insulation:** High density PE sheath features excellent extensivity and tear-resistance
- Twisted:** 4 pairs of 8-core twisted pairs are twisted together to reduce signal interference
- Structure:** Consists of cross-skeleton structure and 4 pairs of shielded twisted pairs
- Sheath:** Adopts tear and wear resistant PVC material
- Wire Mark:** The wire is marked by meter for convenient cutting and wiring
- Usage:** Supports PoE Charging.

Cat 5e UTP Ethernet Patch Cable

PID: NW103



Cat 6 UTP Ethernet Patch Cable

PID: NW102



Cat 6 UTP Pure Copper Ethernet Patch Cable

PID: NW101



Cat 6 F/UTP Ethernet Extension Cable

PID: NW112



Cat 7 F/FTP Ethernet Patch Cable

PID: NW107




Cat 8 S/FTP Ethernet Patch Cable

PID: NW121



USB-A to RJ45 Console Cable

PID: CM204



Cat 5e UTP RJ45 Modular Plug

PID: NW183



Cat 6 UTP RJ45 Modular Plug

PID: NW119



Cat 6 FTP RJ45 Modular Plug

PID: NW184



10Gbps FTP RJ45 Modular Plug

PID: NW123



- 10Gbps
- Stability
- Gold Plated 3U

Cat 8 FTP RJ45 Modular Plug

PID: NW152



- 40Gbps
- Tool-Free
- Gold Plated 50U

Cat 6 FTP Modular Jack

PID: NW159



- Tool-Free
- 1000Mbps
- Anti-Interference

Cat 7 FTP Modular Jack

PID: NW187



- Tool-Free
- 10Gbps
- Anti-Interference

Cat 5e UTP RJ45 Ethernet Cable Extender

PID: NW161



- 100Mbps
- Stability
- Gold Plated 50U

Cat 6 UTP RJ45 Ethernet Cable Extender

PID: NW162



- 1000Mbps
- Stability
- Gold Plated 50U

4-Port Wall Plate

PID: NW144



- Fireproof
- One-Click Removal
- RJ45 & RJ11 Free Combination

Cat6 UTP Patch Panel

PID: NW127



- Oxidation Resistant
- Stability
- Label Management

RJ45 Ethernet Cable Adapter

PID: NW114



- Stability
- Anti-Interference
- 1000Mbps

Anti-thunder Ethernet Cable Adapter

PID: NW116



- Anti-thunder
- Anti-Interference
- 1000Mbps

FC/UPC to FC/UPC Simplex Single Mode Fiber Optic Patch Cable

PID: NW129



- Stability
- Durability
- Anti-Interference

LC/UPC to LC/UPC Simplex Single Mode Fiber Optic Patch Cable

PID: NW130



- Stability
- Durability
- Anti-Interference

PoE Surge Protector

PID: CM369



- Anti-Interference
- 1000Mbps
- Surge Protection

RJ 45 1 to 2 Ethernet Converter

PID: CM210



- Anti-Interference
- 100Mbps
- 1 To 2

SC/UPC to SC/UPC Simplex Single Mode Fiber Optic Patch Cable

PID: NW131



- Stability
- Durability
- Anti-Interference

ST/UPC to ST/UPC Simplex Single Mode Fiber Optic Patch Cable

PID: NW132



- Stability
- Durability
- Anti-Interference

Cat 5e UTP Modular Jack

PID: NW157



- Tool-Free
- 100Mbps
- Gold Plated 50U

Cat 6 UTP Modular Jack

PID: NW159



- Tool-Free
- 1000Mbps
- Gold Plated 50U

100Mbps Single Mode Single Fiber Converter

PID: CM330



- Long distance transmission
- Anti-thunder
- Optoelectronic Switching

1000Mbps Single Mode Single Fiber Converter

PID: CM330



- Long distance transmission
- Anti-thunder
- Optoelectronic Switching



Video Peripheral

- HDMI Peripheral
- VGA /DVI Peripheral
- DP/Mini DP Peripheral



HDMI Male to Male Cable

PID: HD104



- Durability
- Multiple Shielding
- 0.5M-100M
- More Choices

HDMI 2.0 Male to Male Cable

PID: HD131



- Multiple Shielding
- 1M-15M
- 4K
- 4K Ultra HD

HDMI 2.1 Male to Male Cable

PID: HD140



- 8K
- 8K Ultra HD
- Multiple Shielding
- 0.5M-5M
- More Choices

Mini HDMI Male to HDMI Male Cable

PID: HD108



- 4K
- 4K Ultra HD
- 3D
- 3D Vision
- HDR

Micro HDMI Male to HDMI Male Cable

PID: HD127



- 4K
- 4K Ultra HD
- 3D
- 3D Vision
- HDR

Mini HDMI Male to HDMI Female Adapter

PID: 20137



- 4K
- 4K Ultra HD
- 3D
- 3D Vision
- HDR

Micro HDMI Male to HDMI Female Adapter

PID: 20134



- 4K
- 4K Ultra HD
- 3D
- 3D Vision
- HDR

Micro + Mini HDMI Male to HDMI Female Adapter

PID: 20144



- 1080P
- Full HD
- Durability
- 4K
- 4K Ultra HD

HDMI Male to Female Angled Adapter

PID: HD112



- 4K Ultra HD
- Plug & Play
- Durability

HDMI Male to Female Angled Adapter

PID: HD112



- 4K Ultra HD
- Plug & Play
- Durability

HDMI 2*1 Bi-Directional Switch

PID: CM217



- 2IN 1
- 4K@60Hz
- One-click Switch

HDMI 2*1 KVM Switch

PID: CM200



- KVM
- 4K Ultra HD
- long distance

HDMI Female to Female Adapter

PID: 20107



- 4K Ultra HD
- Plug & Play
- Transmit up to 20m

HDMI Female to Female Adapter

PID: CM429



- 4K Ultra HD
- 40m
- Built-in Chipset

HDMI 2*1 KVM Switch

PID: CM315



- KVM
- long distance
- Screen Split

HDMI 2.0 3*1 Switch

PID: CM188



- 4K Ultra HD
- IR Control
- 3D Vision

HDMI Extender Over Single Cat 5e/6

PID: CM196



- 1080P
- Plug & Play
- LAN cable up to 50m

HDMI Extender Over Single Cat 5e/6 with IR Control

PID: MM116



- 1080P
- 120M-600M
- One-to-More Connection

HDMI 4*1 KVM Switch

PID: CM293



- KVM
- 4K Ultra HD
- 3D Vision

HDMI 2.0 5*1 Switch

PID: CM189



- 4K Ultra HD
- IR Control
- 3D Vision

HDMI Extender Over Single Cat 5e/6 with IR Control

PID: CM340



- 1200P
- 150M-450M
- Multiple Connection

HDMI KVM Extender Over Single Cat 5e/6 with IR Control

PID: CM291



- 1200P
- KVM
- 150M-600M

HDMI 2.0 2x2 Switch & Splitter

PID: CM318



- 2 in 2 out
- 4K Ultra HD
- IR Control

HDMI 2.0 4*2 Matrix Splitter

PID: CM288



- 4 in 2 out
- 4K Ultra HD
- IR Control

HDMI 4K Extender Over Single Cat 5e/6

PID: CM215



- 4K Ultra HD
- 4K 40m-120m
- IR Control

HDMI Solderless Cable Male Connector

PID: HD142



- 4K Ultra HD
- Wide Application
- Buckle Design

HDMI 2.0 4*4 Matrix Splitter

PID: CM289



- 4 in 4 out
- 4K Ultra HD
- IR Control

HDMI 4*1 Quad Multi-Viewer

PID: CM201



- Full HD
- Multi-Mode
- 3-pole Cascade

HDMI 2.0 1*2 Splitter

PID: CM186



- 4K Ultra HD
- 8 screens max
- 3D Vision

HDMI 2.0 1*4 Splitter

PID: CM187



- 4K Ultra HD
- 16 screens max
- 3D Vision

HDMI 1*8 Splitter

PID: 40203



- 4K Ultra HD
- 32 screens max
- 3D Vision

HDMI 1*16 Splitter

PID: 40218



- 4K Ultra HD
- 64 screens max
- 3D Vision

HDMI Male to DVI(24+1) Cable

PID: HD106



- Two-way conversion
- Full HD
- 1M-15M

HDMI to VGA+3.5mm Audio Converter

PID: MM102



- Full HD
- Power Port
- Stability

HDMI+USB-A to DP Converter

PID: MM107



- 4K Ultra HD
- Power Port
- Stability

HDMI to Mini DP Converter

PID: CM239



- 4K Ultra HD
- Power Port
- Stability

HDMI to AV Converter

PID: 40223



- Full HD
- Power Port
- Stability

AV to HDMI Converter

PID: 40225



- Full HD
- Power Port
- Stability

VGA Male to Male Cable

PID: VG101



- Full HD
- Multiple Shielding
- 1M-30M

VGA Male to HDMI Female Converter

PID: CM269



- Full HD
- Power Port
- Stability

VGA Video Extender

PID: CM250



- Full HD
- 100M-300M
- Plug & Play

VGA 2*1 Switch

PID: MM126



- Full HD
- Plug & Play
- Stability

VGA 2*1 KVM Switch

PID: 30357



- KVM
- Full HD
- One-click Switch

VGA 4*1 KVM Switch

PID: CM154



- KVM
- Full HD
- Plug & Play

VGA 8*1 KVM Switch

PID: CM294



- KVM
- Full HD
- Plug & Play

VGA 1*2 Splitter

PID: 20918



- Full HD
- Plug & Play
- Stability

VGA 1*4 Splitter

PID: CM152



- Full HD
- Plug & Play
- Stability

VGA Welding Free 15Pin Connector Adapter

PID: VG106



- Full HD
- Wide Application
- Buckle Design

DVI(24+1) Male to Male Cable

PID: DV101



- 2K@60Hz
- 1M-50M
- Anti-electromagnetic Interference

DVI(24+1) Male to VGA Male Cable

PID: MM118



- 1080P
- Plug & Play
- Multiple Shielding

DVI(24+5) Male to VGA Male Cable

PID: DV102



- 1080P
- Plug & Play
- Multiple Shielding

DVI(24+1) Male to VGA Female Active Converter

PID: MM108



- 1080P
- Plug & Play
- 3D Vision

DVI (24+5) Male to VGA Female Converter

PID: 20122



- 1080P
- Plug & Play
- 3D Vision

DVI Repeater Extender

PID: 40266



- 1080P
- Plug & Play
- 45m LAN cable up to 45m

DVI Extender Over Single Cat 5e/6

PID: CM250



- 1200P
- 150M-450M
- Multiple Connection

DVI 1*2 Splitter

PID: CM202



- 1080P
- Plug & Play
- 20m LAN cable up to 20m

DP 1.2 Male to Male Cable

PID: DP102



- 4K
- Multiple Shielding
- 3D Vision

DP 1.4 Male to Male Cable

PID: PD112



- 8K
- Multiple Shielding
- HDR

DP Male to VGA Female Converter

PID: DP109



- 1080P
- Plug & Play
- Multiple Shielding

DP to HDMI Female Converter

PID: MM137



- 4K
- 15M long distance
- Plug & Play

DP Male to DVI(24+1) Male Cable

PID: DP103



- 1080P
- Plug & Play
- Multiple Shielding

Mini DP Male to Male Cable

PID: MD111



- 4K
- Multiple Shielding
- Mirror & Extended Mode

Mini DP to DP Cable

PID: MD105



- 4K
- Plug & Play
- Multiple Shielding

Mini DP to HDMI Female Converter

PID: MD112



- 4K
- Plug & Play
- Multiple Shielding

Mini DP to VGA Female Converter

PID: MD107



- 1080P
- Plug & Play
- Multiple Shielding

Mini DP to HDMI/VGA/DVI(24+1) Converter

PID: MD114



- 4K
- 1080P Full HD
- Plug & Play

Audio Peripheral



PID: AV137

Engineering Speaker Cable (Gold/Silver Cable)

- Home theater
- KTV
- Conference
- Cinema

Specification

- Wire Core:** Adopts oxygen-free copper core with no transmission reduction
- Insulation:** Double-layer insulation to protect inner wire core
- Sheath:** PVC outer sheath for convenient wiring

Parameter	100-core	150-core	200-core



PID: AV157

HiFi Pure-Copper Wire Core Speaker Cable

- Home theater
- KTV
- Conference
- Studio

Specification

- Wire Core:** Adopts oxygen-free copper core
- Insulation:** Double-layer insulation to ensure a lossless audio
- Sheath:** PVC outer sheath for convenient wiring

Parameter	100-core	150-core	200-core	300-core



PID: AV159

Pure-Copper Wire Core Protective Sheath Speaker Cable

- Outdoor Performance
- Outdoor Stage
- Outdoor Activities

Specification

- Sheath:** Adopts tear and wear resistant PVC material
- Inner Layer:** Elastic PE inner layer for easier cutting and peeling
- Wire Core:** Consists of 200 pure-copper wire cores

Parameter	1mm ²	1.5mm ²	2.5mm ²



XLR Microphone Engineering Cable



PID: AV160

- Home theater
- KTV
- Studio
- Outdoor Stage
- Conference

Specification

- Sheath:** Adopts tear and wear resistant PVC material.
- Wire Core:** Adopts 42 0.1mm high-purity oxygen-free copper wire cores
- Cable Structure:** Consists of 96 oxygen-free twisted nets + aluminum foil shield

SDI Pure-Copper Wire Core



PID: SP103

- Control Room
- Conference Room

Specification

- Resolution:** 1920*1080 resolution output.
- Wire Core:** The conductor adopts pure copper wire core
- Cable Structure:** Transmits audio/video signals simultaneously
- Transmission:** The cable impedance is 75Ω with 1GHz transmission bandwidth
- Sheath:** Adopts tear and wear resistant PVC material.

3.5mm Male to Male Cable

PID: AV125

- HIFI
- Multiple Shielding
- 0.5M-20M More Choices



3.5mm Male to 6.35mm Male Cable

PID: AV127

- HIFI
- Multiple Shielding
- Gold-Plated



6.35mm Male to 6.35mm Male Cable

PID: AV128

- HIFI
- Multiple Shielding
- Gold-Plated



3.5mm to Dual 6.35mm Male Cable

PID: AV126

- HIFI
- Multiple Shielding
- Stretch Resistance



3.5mm Male to Dual 3.5mm Female Headset Splitter

PID: AV141

- 1 to 2
- Multiple Shielding
- Quality Sound



Dual 3.5mm Male to 3.5mm Female Audio Cable

PID: AV140

- 2 to 1
- Multiple Shielding
- Soft and Flexible



3.5mm Male to Female Audio Cable

PID: AV118

- Support MIC
- Quality Sound
- Plug&Play



3.5mm Male to 2 RCA Female Cable

PID: AV109

- Quality Sound
- Multiple Shielding
- Soft & Flexible



3.5mm Male to 2 RCA Male Audio Cable

PID: AV102

- Quality Sound
- Multiple Shielding
- Soft & Flexible



3.5mm Female to 2 RCA Male Audio Cable

PID: AV102

- Quality Sound
- Multiple Shielding
- Soft & Flexible



3.5mm Male to 2 RCA Male Cable

PID: AV116



- Bi-directional
- HIFI
- Soft & Flexible

2 RCA Male to 2 RCA Male Audio Cable

PID: AV104



- Quality Sound
- Multiple Shielding
- Soft & Flexible

3RCA Male to 3RCA Male Audio & Video Cable

PID: AV105



- Quality Sound
- Multiple Shielding
- Soft & Flexible

Coaxial Male to Coaxial Male Audio Cable

PID: AV155



- HIFI
- Multiple Shielding
- Gold-Plated

TOSLINK Optical Male to Male Audio Cable

PID: AV122



- Square Optical Interface
- Gold-Plated
- HIFI

3.5 Male to XLR Female Cable

PID: AV182



- HIFI
- Multiple Shielding
- Soft & Flexible

6.35 Male to XLR Female Cable

PID: AV131



- HIFI
- Multiple Shielding
- Soft & Flexible

XLR Male to Female Cable

PID: AV130



- HIFI
- Multiple Shielding
- Soft & Flexible

Cannon XLR 3-Core Audio Connector

PID: AV162



- Stability
- Gold-Plated
- HIFI

Banana Plugs

PID: AV149



- Gold-Plated
- Noise Reduction Design
- Pure Sound

2.5mm Male to 3.5mm Female Adapter

PID: 20501



- Quality Sound
- Gold-Plated
- Stability

3.5mm Male to 2.5mm Female Adapter

PID: 20502



- Quality Sound
- Gold-Plated
- Stability

6.5mm Male to 3.5mm Female Adapter

PID: 20503



- Gold-Plated
- Noise Reduction Design
- Pure Sound

6.35mm Male to 2RCA Female Adapter

PID: CAV147



- Quality Sound
- Gold-Plated
- Stability

Digital to Analog Audio Converter

PID: 30523



- Quality Sound
- Gold-Plated
- Stability

SDI Male to Male Audio & Video Cable

PID: SP103



- Full HD
- Multiple Shielding
- More Choices

SDI to HDMI Audio & Video Converter

PID: CM131



- Full HD
- Plug & Play
- Stability

HDMI to SDI Audio & Video Converter

PID: CM132



- Full HD
- Plug & Play
- Stability

Bluetooth Transmitter Audio Adapter

PID: CM107



- Bluetooth 5.0
- Quality Sound
- Stability

Bluetooth Transmitter & Receiver

PID: CM108



- Bluetooth 5.0
- aptx
- Dual Link

Industrial Communication Peripheral




USB-A 2.0 to DB9 RS-232 Male Cable

PID: CR107



USB-A 2.0 to 4 Serial DB9 RS-232 Male Cable

PID: US229



USB-A 2.0 to RS-422/RS485 Cable

PID: CM253



Passive RS232 to RS485 Adapter

PID: CM261



Active RS232 to RS485/RS422 Serial Converter

PID: CM327




Active RS232 to RS485/RS422 Serial Converter

PID: CM327




RS-485 Repeater

PID: CM366



RS-232/RS-485/RS-422 to Fiber Optic Modem

PID: CM365



DB9 RS-232 Male to Female Cable

PID: DB101



USB-A 2.0 to CN36/IEEE1284 Female Parallel Printer Cable

PID: CR124



— MORE POSSIBILITIES WITH UGREEN —