

TS2000 Plus Series



TS2000Plus is a new type of bridge tripod turnstile, it has one lighting effects: traffic indicator which can indicate whether the verification is successful. They are used in various indoor or outdoor environment applications. They fit perfectly as an economical option in the office buildings and other related applications.




Access Control System



Drop-arm



Bi-directional



Mechanical Unlocking

Features

- SUS304 stainless steel housing and bridge appearance
- Bi-directional tripod turnstile with arm drop function
- More cost-effective prices
- Low power consumption
- Wide range of accessories
- Easy and simple installation process

Specifications

| | |
|--------------------------------------|---|
| Power Requirements | AC 110V/220V, 50/60Hz |
| Power Consumption | Running: 40W |
| | Standby: 10W |
| Working Temperature | -20°C to 70°C |
| Working Humidity | 20% to 80% (Non-condensing) |
| Working Environment | outdoor |
| Speed of Throughput | Maximum 25/minute |
| Lane Width (mm) | 500 |
| Footprint (mm) | 260*1110 |
| Dimension (L*W*H) | 775*1110*980(mm) |
| Dimension with Packing (L*W*H) | 360*1210*1080(mm) |
| Net Weight (kg) | 30KG |
| Weight with Packing (kg) | 35KG |
| LED Indicator | Support |
| Cabinet Material | SUS304 Stainless Steel |
| Lid Material | PC Plastics+SUS304 Stainless Steel |
| Barrier Material | SUS304 Stainless Steel |
| Barrier Movement | Rotation |
| Emergency Mode | Support |
| Security Level | Medium |
| Mean Cycles Between Failure (MCBF) | 2 million |
| Options/Accessories | Counter, SUS316 Cabinet and Lid, Remote Control |

Dimensions (mm)

